



Rainwater Harvesting for Landscape Use



Lincoln County Master
Gardener™ Association

orcoastmga.org/rthandouts




Oregon State University
Extension Service
Master Gardener™



Master Gardener™

- Volunteers who are trained in science-based, sustainable gardening practices.
- We are connected to Oregon State University and use both science and local knowledge to inform our educational outreach.
- We strive to make the resources of Oregon State University accessible to all members of our community.
- These resources include horticultural research findings, and publications.



What are we talking about?

- Rainwater harvesting — the collection and storage of rain to use as a primary water supply — it is one of the simplest and oldest methods of managing water supply
- We will also discuss some methods for distributing the water to garden locations
- For landscaping purposes

Source

EM 9101

Harvesting Rainwater for Use in the Garden



Scan me!

<https://catalog.extension.oregonstate.edu/em9101>

Harvesting RAINWATER

Sam Angima

for use in the garden

Rainwater harvesting is the capture, diversion, and storage of rainwater for a number of different purposes. Although water is publicly owned in Oregon, state law allows residents to collect runoff from rooftops and store it in reservoirs, rain barrels, water tanks, or other containers. For those with small acreage property (ideally, less than 1 acre), harvested and stored rainwater can cut city and well-water consumption by providing an alternative source for irrigating landscapes, vegetables, or small fruit gardens.

Other than the initial cost of installing a catchment and pumping-and-delivery system, rainwater is free. Rainwater also tends to be pure, soft (fewer salts than city or well water), and near neutral pH (not acidic or basic). Capturing, storing, and using rainwater also helps reduce the intensity and flow of storm waters. If used to irrigate, rainwater helps flush salts off lawn and garden soils while reducing overall water bills.

Water Collection

The easiest and most common way for homeowners to harvest rainwater is through a rainwater collection system that includes a roof, gutters or roof drains, and a piping system to convey the water to and from a storage system. Designs range from a simple rain barrel at the bottom of a downspout for watering a garden to extensive cistern systems that can provide substantial amounts of water for large-scale and long-term uses. New filtration and treatment technologies make rainwater relatively safe to use. Rainwater harvesting systems can be installed in existing buildings or incorporated into new construction. Storage tanks can be inside or outside, above or below ground, or partially above and partially below ground (Figures 1 and 2).




Figure 1. Above-ground rainwater collection and storage system.




Figure 2. Underground rainwater collection and storage system.

Sam Angima is the Extension Regional Administrator for the North Coast region.



Source

City of Portland
Environmental Services



Scan me!

https://www.portland.gov/sites/default/files/2021/howto-rain-barrels-aug2021_0.pdf

How to install and maintain Rain Barrels

Portland gets an average of 37 inches of rain a year. Rain that runs off your roof can flow into a sewer pipe, stream, or groundwater. Why not put it to another use? A rain barrel can capture some of that rainfall for later use on your property.



What is a rain barrel?

A rain barrel is a simple rainwater collector that captures, stores, or conveys a portion of the runoff from a roof downspout. Rain barrels come in a wide variety of materials, designs, and colors.

This booklet contains information and guidelines for installing a rain barrel for non-potable, outdoor uses around your home such as drip irrigation. Common sizes are 55 gallons and 90 gallons. They are usually installed on the ground next to buildings.

A rain barrel is not a stormwater disposal method, but is a way to capture a small fraction of the rainwater that flows off your roof. The rest of the runoff will still need to go to a safe and approved stormwater discharge location.



ENVIRONMENTAL SERVICES
CITY OF PORTLAND

RAINWATER HARVESTING

Is it legal?

- Oregon laws are friendly towards collecting and using rainwater for both potable and non-potable uses.
- Generally roof collection is the preferred method
- Other methods might require a permit



Scan me!

<https://www.oregon.gov/bcd/documents/brochures/3660.pdf>



Our starting point

- Roof
- Gutter
- Downspout
- Water distribution



Add water storage

- Roof
- Gutter
- Downspout
- Water distribution

Rain barrel or tank



Let's talk tanks

- Classic rain barrel from city water depts
- 50-55 gallons
- May come with fittings
- Can find used barrels on Craigslist
- Good size for a typical city lot or starter experience



Typical installation

- One barrel



Blue rain barrel

- Horizontal grouping



Blue rain barrel

- Vertical grouping



Painted



Culturally appropriate





50 to 50,000 gallon tanks

Even go modern



What makes a good rain barrel ?

- **Food grade plastic**
- Only ever used for liquid food—syrups, sugar solutions
- Never cooking oils or petroleum products, insecticides or pesticides
- Clean thoroughly
- Flat bottom for proper installation
- Larger rather than smaller
- DIY or Kits
- Enclosed top or screens
- Overflow fitting
- Outflow fitting—garden hose or other piping



\$5-\$30




\$50-\$100

Main Components

- Downspout diversion
- Inflow
- Overflow
- Outflow

Rain barrel assembly



Roof Materials

- Good Materials

- Standing seam metal
- Corrugated metal

Workable, but less efficient

- Asphalt/composition shingles
- Concrete tile or clay tile
- Solar panels


- Bottom line:

most materials will work but avoid the ones listed on the right




Keeping debris out

- Clean roof
- Basket strainers
- Gutter guards
- Leaf collectors



First Flush

- Diverts the first gush of water in each rainfall
 - Keeps the sediment, leaves, pollen, washed from the roof out of the tank
- Some controversy about their use
 - Sizing issues
 - Requires significant maintenance
 - Proper screening works as well
 - Plants like the organic matter that is diverted
 - Often only the first seasonal rain is dirty enough to warrant diversion



Distributing the stored water

- Gravity
- Pump

Drip irrigation

- Doesn't require any pressure
 - Gravity does the work
 - As long as the drip line stays below the water level in your rain barrel
 - And there is enough water
- Slope and distance matter
 - 1/2" main line is best-won't restrict the flow; 1/4" may work but for shorter distances
- Pressure
 - Most irrigation systems work on 12-20 psi
 - Gravity is about 0-2 psi for flat terrain
 - Can elevate barrel to get more psi
 - 1ft of elevation gives .4 psi
 - Soaker hoses have least psi reqmts



Gravity Assist



Tank pump

- A rainwater tank pump is typically positioned at ground level, next to the tank.
- The water exits the tank from the bottom of the tank and flows straight into the pump
- Install close to tank
- Prime the pump with water, plug the pump into the power and switch it on
- Enclose for protection
- Requires electricity
- Some solar models



Solar components



Solar panel

Controller

Battery

On demand Pump

Available rainfall -- or how much water could I capture?

- Basic formula

Size of roof (sq ft) x Est annual rainfall (in) x .62 x (75-90%)


- My House

Tank 1 (2500) 500 sq ft x 80" x .62 x 80% = 20,000 gal

Tank 2 (3000) 1000 sq ft x 80" x .62 x 80% = 40,000 gal


- ❖ 80" is the estimated annual rainfall for Lincoln County
- ❖ .62 is the amount of water captured in 1" of rain per 1 sq ft
- ❖ 75-90% is the roof collection factor

Average Rainfall for Lincoln County = 80"



How much water do I need?

- In general
 - 1"/week over your entire growing surface for the summer (3-5mth)
 - 4' x 8' bed requires 20 gallons/week x 16 weeks = 320 gallons
 - 5 beds = 1600 gallons
 - or 32 blue barrels



My garden

~ 1 acre
(43, 560 sq ft)

- 5 water tanks
 - Tank 1 2500 gal
 - Tank 2 3000 gal
 - Tank 3 3000 gal
 - Tank 4 500 gal
 - Tank 5 500 gal
- Total 9500 gal



Thank you

Lincoln County Master Gardener™ Association

lincolnmg@oregonstate.edu

www.orcoastmga.org



